CHRISTINA GATT COORDINATING SEMINAR

BOUNCY BALL & FINDING EQUATIONS


GOAL: STUDENTS WILL INVESTIGATE LINEAR EQUATIONS USING HANDS-ON MATERIALS

<u>OBJECTIVES</u>: DETERMINE IF THE HEIGHT A BALL IS DROPPED AT LARGELY EFFECTS ITS REBOUND HEIGHT, THEN FIND THE RATE OF CHANGE, AND GRAPH THE RESULTS.

MATERIALS: RULER, BOUNCY BALL, PENCIL, CALCULATOR


PROCEDURE:

- 1. ONE GROUP MEMBER WILL RELEASE THE BALL AND OTHERS SHOULD DETERMINE THE HEIGHT OF THE REBOUND.
- 2. RECORD A TABLE OF FALLING HEIGHTS AND CORRESPONDING REBOUND HEIGHTS FOR AT LEAST FOUR DIFFERENT FALLING HEIGHTS. INCLUDE THE VALUE 0 AS ONE OF THE DROP HEIGHTS. IN THIS CASE, YOU DO NOT NEED TO MEASURE THE REBOUND HEIGHT SINCE IT IS OBVIOUSLY ALSO 0.



DROP HEIGHT	REBOUND HEIGHT
0	0

3. THEN, PLOT YOUR DATA ON A GRAPH, WHERE FALLING HEIGHT IS THE INPUT (HORIZONTAL) VALUE AND REBOUND HEIGHT IS THE OUTPUT (VERTICAL) VALUE. PLOT THE DROP HEIGHT AND THE REBOUND HEIGHT AND CLEARLY LABEL THE AXES WITH UNITS MEASURED USED.



4. NEXT, WE ARE GOING TO FIND THE RATE OF CHANGE BASED ON THE POINTS YOU JUST PLACED ON THE GRAPH. WE ARE GOING TO TAKE OUR FIRST AND SECOND POINTS TOGETHER TO FIND THEIR RATE OF CHANGE, AND THEN THIRD AND FOURTH POINTS. (SO IN THIS CASE, THE RATE OF CHANGE IS FOUND BY DIVIDING THE DIFFERENCE IN REBOUND HEIGHTS BETWEEN THE TWO POINTS BY THE DIFFERENCE IN DROP HEIGHTS BETWEEN THE SAME $Rate\ of\ change = \frac{y_2-y_1}{x_2-x_1}$ TWO POINTS).

5.	ONCE YOU FIND T	HE RATE OF	CHANGE,	WE CAN	FINALLY	OME	UP	HTIW	A LINEAR	EQUATIO)N
	TN SLOPE-TNTERCE	PT FORM!									

WHAT WE NEED TO DO: TAKE OUR RATE OF CHANGE, WHICH WILL BE OUR SLOPE IN THIS CASE.

THEN TAKE ONE SET OF COORDINATES USED TO CREATE THIS SPECIFIC RATE OF CHANGE AND PLUG IT INTO THE SLOPE-INTERCEPT FORM Y=MX+B.

7. THEN PLOT YOUR NEW EQUATIONS ON THE GRAPH!!!

CONCLUSIONS:

- THE AIM OF OF THIS EXPERIMENT WAS TO DETERMINE HOW MUCH CHANGING THE HEIGHT PUTS AFFECT ON THE REBOUND HEIGHT.
- AS WE CAN SEE FROM OUR RESULTS, THE HIGHER THE HEIGHT RELEASED, THE HIGHER THE REBOUND WAS IN CORRESPONDENCE TO IT.
- THE DIFFERENCE BETWEEN THE INITIAL DROP HEIGHT AND THE REBOUND HEIGHT BEGAN TO INCREASE AS THE HEIGHT INCREASED.